

DIAGNOSIS CODES (DIABETES/PREDIABTES)

DPI Identification Table			
Diagnosis code	Code Description	DPI Indicator	Indicator Description
250.XX	Heterogeneous group of disorders that share glucose intolerance in common	D	Diagnosed Diabetic
277.7	Dysmetabolic Syndrome	P	Diagnosed Prediabetic
790.2	Abnormal Glucose	E	Elevated Blood Glucose
790.21	Impaired Fasting Glucose	P	Diagnosed Prediabetic
790.22	Impaired Glucose Tolerance Test	P	Diagnosed Prediabetic
790.29	Other Abnormal Glucose	E	Elevated Blood Glucose
All others	NA	N	Non Diagnosed Diabetic or Prediabetic

Why this is important for access to the program

For those patients who may have access to the program at no charge (and no co-pay) through UHC or another third party payer, it is critical that they receive a prediabetes diagnosis based on one of 3 blood values: A1c 5.7-6.4%, Fasting Plasma Glucose 100-125mg/dL or 2-hour (75 gm glucola) Plasma Glucose 140-199mg/dl or have prediabetes diagnosed based on a previous diagnosis of gestational diabetes (GDM).

All of the codes tagged with the DPI Indicator of P generates outreach by the DPCA (Diabetes Prevention and Control Alliance) for those patients who have access to the program through a third party payer.